

A. Schild 1700,1701 Movement Parts (2)


Compiled by EmmyWatch - https://www.emmywatch.com

EBAUCHES SA NEUCHATEL SWITZERLAND



Fabrique d'ébauches A. Schild SA, Grenchen 11 ½ 1700 11 ½ 1701 25,60 mm

Enlarged view of movement





Lever Movement, Self-Winding, Sweep Second

Technical and practical communication for the use of the watch repairer

Copyright 1965 by Ebauches SA Neuchâtel (Switzerland). 1st edition, december 1965.
Reproduction prohibited. Published by Ebauches SA (French, English, German, Italian, Spanish).

Parts for basic caliber 1700





| ٧٥. | LIST OF MATERIAL | No. | LIST OF MATERIAL |
|-----|---|------------|---|
| 100 | Plate | 730 | Roller |
| 105 | Barrel bridge VINTAGE REST | 770 | Mainspring |
| 118 | Combined bridge | 770 775 | Brake spring |
| 121 | Balance cock for flat hairspring | | |
| 125 | Pallet cock | 1141 | Lower bridge for automatic device |
| 126 | Center wheel cock | 1142 | Upper bridge for automatic device |
| 182 | Barrel and cover | 1143/1 | Oscillating weight, mounted |
| 195 | Barrel arbor | 1416 | Lower ratchet wheel |
| 206 | Center wheel | 1481 | Reduction gear |
| 210 | Third wheel | 1482 | Driving gear for ratchet wheel |
| 227 | Sweep second wheel | 1488 | Pawl winding wheel, complete (with pinion) |
| 245 | Cannon pinion | 1496 | Oscillating weight axle |
| 255 | Hour wheel | | |
| 260 | Minute wheel | 5102 | Case screw |
| 301 | Regulator for flat hairspring | 5105 | Barrel bridge screw |
| 311 | Upper cap jewel with end-piece, for balance | 5118 | Combined bridge screw, long |
| 330 | Lower cap jewel with end-piece, for balance | 51181 | Combined bridge screw, short |
| 342 | Bearing plate, jewelled, for sweep second wheel | 5121 | Balance cock screw |
| | | 5125 | Pallet cock screw |
| 401 | Winding stem | 5126 | Center wheel cock screw |
| 407 | Clutch wheel | 5311 | Upper end-piece screw, for balance |
| 410 | Winding pinion | 5330 | Lower end-piece screw, for balance |
| 415 | Ratchet wheel | 5342 | Bearing plate screw, for sweep second wheel |
| 420 | Crown wheel | 5415 | Ratchet wheel screw |
| 422 | Crown wheel ring | 5420 | Crown wheel screw |
| 425 | Click | 5425 | Click screw |
| 430 | Click spring | 5443 | Setting lever screw |
| 435 | Yoke | 5445 | Screw for setting lever spring |
| 440 | Yoke spring | 5462 | Screw for minute work cock |
| 443 | Setting lever | 5738 | Hairspring stud screw |
| 445 | Setting lever spring | 5750 | Dial screw |
| 450 | Setting wheel | 51141 | Lower bridge screw for automatic device |
| 462 | Minute work cock | | |
| | | 51142 | Upper bridge screw, long, for automatic device |
| 705 | Escape wheel and pinion with straight pivots | | |
| 710 | Jewelled pallet fork and staff | 511421 | Upper bridge screw, short, for automatic device |
| 714 | Pallet staff | | |
| 721 | Balance with flat hairspring, regulated | 51482 | Screw for driving gear of ratchet wheel |
| 723 | Balance staff, pivoted | 51496 | Screw for oscillating weight axle |