




Seiko 11A Movement Parts (1)

Compiled by EmmyWatch - <https://www.emmywatch.com>


Calibre No.	11A	Jewels	17j	Style Name	
⇒ Basic Calibre 1104A 17J Catalog No. 11-04-1					



Cal. 11A

Characteristics

Casing dimension: 15.15 × 13.00 mm
 Maximum height: 3.50 mm
 Vibrations per hour: 21,600
 Non-automatic
 "Diashock" Shock Resistant Device



Catalog No. 11-00-1

Calibre No.	11A	Jewels	17j	Style Name	
⇒ Basic Calibre 1104A 17J Catalog No. 11-04-1					

PART NO.	PART NAME	PART NO.	PART NAME
111 111	Barrel bridge	386 110	Setting lever spring (Set bridge)
121 111	Train-wheel bridge	390 100	Setting lever axle
161 110	Pallet cock	401 113	Mainspring (self-greasing)
171 110	Balance cock	433 111	Upper hole jewel with frame for Third wheel
205 111	Complete barrel with arbor	453 110	Upper hole jewel with frame for escape wheel
213 111	Barrel arbor	481 180	Crown wheel ring
☆224 111	Center wheel with cannon pinion	491 180	Dial washer
☆224 115		☆493 006	Dial washer
☆225 111	Cannon pinion	014 353	Diashock upper frame
☆225 112		014 334	Diashock lower frame
231 112	Third wheel & pinion	014 355	Diashock hole jewel with frame
241 112	Fourth wheel & pinion	011 204	Diashock cap jewel
251 110	Escape wheel & pinion	014 317	Diashock spring
261 110	Minute wheel	012 107	Dial screw
☆271 111	Hour wheel	012 121	Stud screw
☆271 112		012 126	Pallet cock screw
281 110	Setting wheel	012 237	Bridge screw
282 110	Clutch wheel	012 237	Balance cock screw
283 110	Winding pinion	012 414	Ratchet wheel screw
284 110	Crown wheel	012 541	Crown wheel screw
285 111	Ratchet wheel	012 644	Click screw
301 110	Jewelled pallet fork & staff	012 704	Setting lever spring screw
310 110	Balance complete with stud	011 535	Upper hole jewel for center wheel
315 110	Balance staff	011 530	Lower hole jewel for center wheel
331 110	Roller with jewel	011 527	Lower hole jewel for third wheel
341 110	Regulator	011 539	Upper hole jewel for fourth wheel
345 110	Stud holder	011 528	Lower hole jewel for fourth wheel
☆351 110	Winding stem	011 505	Lower hole jewel for escape wheel
☆351 111		011 505	Upper hole jewel for pallet
372 110	Joint stem (movement portion)	011 505	Lower hole jewel for pallet
373 250	Joint stem (case portion)	013 010	Tube for train-wheel bridge screw
381 110	Click	013 106	Tube for pallet cock screw
382 110	Click spring	013 112	Tube for barrel bridge screw
383 110	Setting lever		
384 110	Yoke (Clutch lever)		
385 110	Yoke spring (Clutch lever spring)		

Remarks :

Distinguish each length of the followings

Center wheel with cannon pinion
 ☆224 111.....With the short cannon pinion
 ☆224 115.....With the long cannon pinion

Cannon pinion
 ☆225 111.....1.99 mm total length
 ☆225 112.....2.49 mm total length

Hour wheel
 ☆271 111.....1.30 mm axle length
 ☆271 112.....1.80 mm axle length



Winding stem (Shown in illustrations)
 ☆351 110.....13.50 mm total length (with full threads)
 ☆351 111.....18.65 mm total length (with half threads)





Dial washer
 ☆493 006.....It is used only when the curved dial is used.

☆⇒ Please see remarks on the reverse page.
 As for all other parts not shown here, please refer to the basic calibre
 (Cal. No. 1140A 17J Catalog No. 11-04-1 Red page).

☆⇒ Please see remarks.
 Part numbers in light letters are not shown in photos; those parts are interchangeable with the basic calibre
 (Cal. No. 1104A 17J Catalog No. 11-04-1 Red page).

Calibre No.	11A	Jewels	21j	Style Name	
Basic Calibre 1104A 17J Catalog No. 11-04-1					
 <p>Cal. 11A</p>		Characteristics Casing dimension: 15.15 × 13.00 mm Maximum height: 3.50 mm Vibrations per hour: 21,600 Non-automatic "Diashock" Shock Resistant Device "Diafix" Oil Lubrication Device			
 <p>111111 121112 205111 213111 401113 224111 225111 231113 241113</p> <p>251112 271111 284110 285111 456110 481180 015511 015521 015531 011221 015513</p> <p>☆351111</p> <p>012711 2/1</p>					

Catalog No. 11-00-2

Calibre No.	11A	Jewels	21j	Style Name	
Basic Calibre 1104A 17J Catalog No. 11-04-1					
PART NO.	LIST OF MATERIALS	PART NO.	LIST OF MATERIALS		
111111	Barrel bridge	012107	Dial screw		
121112	Train-wheel bridge	012121	Stud screw		
161110	Pallet cock	012126	Pallet cock screw		
171110	Balance cock	012237	Bridge screw		
205111	Complete barrel with arbor	012237	Balance cock screw		
213111	Barrel arbor	012414	Ratchet wheel screw		
224111	Center wheel & pinion with cannon pinion	012541	Crown wheel screw		
225111	Cannon pinion	012544	Click screw		
231113	Third wheel & pinion	012704	Setting lever spring screw		
241113	Fourth wheel & pinion	012711	Lower end-piece screw for escape wheel		
251112	Escape wheel & pinion	011535	Upper hole jewel for center wheel		
261110	Minute wheel	011530	Lower hole jewel for center wheel		
271111	Hour wheel	011527	Lower hole jewel for 3rd wheel		
281110	Setting wheel	011528	Lower hole jewel for 4th wheel		
282110	Clutch wheel	C1.608	Lower hole jewel for escape wheel		
283110	Winding pinion	011505	Upper hole jewel for pallet		
284110	Crown wheel	011505	Lower hole jewel for pallet		
285111	Ratchet wheel	013010	Tube for train-wheel bridge screw		
301110	Jewelled pallet fork & staff	013106	Tube for pallet cock screw		
310110	Balance complete with stud	013112	Tube for barrel bridge screw		
315110	Balance staff				
331110	Roller with jewel				
341110	Regulator				
345110	Stud holder				
☆351110	Winding stem				
☆351111					
381110	Click				
382110	Click spring				
383110	Setting lever				
384110	Yoke (Clutch lever)				
385110	Yoke spring (Clutch lever spring)				
386110	Setting lever spring				
390100	Setting lever axle				
401113	Mainspring (self-greasing)				
456110	Lower end-piece for escape wheel				
481180	Crown wheel ring				
491180	Dial washer				
014353	Diashock upper frame				
014304	Diashock lower frame				
014355	Diashock hole jewel with frame				
011204	Diashock cap jewel				
014317	Diashock spring				
015511	Diafix upper hole jewel with frame for 3rd wheel				
015521	Diafix upper hole jewel with frame for 4th wheel				
015531	Diafix upper hole jewel with frame for escape wheel				
011221	Diafix cap jewel				
015513	Diafix spring				
Remarks: Winding stem ----- Refer to the photograph on the front page and shapes in the lower diagram. ----- ☆351110Short winding stem (Thread is provided completely on the crown portion.) ☆351111Long winding stem (Thread is provided only on the end of the crown portion.)					
 <p>☆351110</p>		 <p>☆351111</p>			

☆ Please see remarks on the reverse page.
 As for all other parts not shown here, please refer to the basic calibre
 (Cal. No. 1104A 17J Catalog No. 11-04-1 Red page).

☆ Please see remarks.
 Items in light letters are not shown in photos; those parts are interchangeable with the basic calibre
 (Cal. No. 1104A 17J Catalog No. 11-04-1 Red page).