







Seiko 7015A Movement Parts (1)

Compiled by EmmyWatch - <https://www.emmywatch.com>

Calibre No. 7015A		Jewels 21j	Style Name
Basic Calibre 7005A 17J Catalog No. 70-05-1			
 Cal. 7015A			Characteristics Casing diameter : 27.00 ϕ mm Maximum height : 5.90 mm Vibrations per hour : 21,600 Automatic winding with sweep second Chronograph Calendar (day & date) Instant setting device for day & date calendar Bilingual change-over system for day of week "Diashock" Shock Resistant Device "Diafix" Oil Lubrication Device
 112 065  122 013  171 033  201 046  224 016  225 013  231 014  251 016  271 007  381 006  383 005  384 007  388 005  422 001  436 001  015 541  015 551  011 221  014 417  354 022  ☆357 002  ☆998 002  ☆999 002  509 007  511 005  831 002  836 003  ☆801 010  802 005  808 006  719 001  720 001  720 002  868 003  ☆870 016  873 005  963 001  190 004  571 005  575 003  ☆884 016  ☆884 028  576 003  581 003  585 009  781 001  888 004  012 277  012 281  012 354  012 423  012 424  012 427 2/1			

⇒ Please see remarks on the next page.

for all other parts not shown here, please refer to the basic calibre

(Cal. No. **7005A** 17J Catalog No. 70-05-1 Green page).

Calibre No.		Jewels	Style Name	
7015A		21j		
⇒ Basic Calibre 7005A 17J Catalog No. 70-05-1				
PART NO.	LIST OF MATERIALS	PART NO.	LIST OF MATERIALS	
112 065	Barrel & train-wheel bridge	☆ 884 016	} Holding ring for dial	
122 013	Center wheel bridge	☆ 884 028		
161 004	Pallet cock	963 001	Snap for day star with dial disk	
171 033	Balance cock	571 005	Operating lever	
190 004	Chronograph bridge	575 003	Operating lever spring	
201 046	Complete barrel with arbor & mainspring	576 003	Pillar wheel	
		581 003	Coupling lever	
224 016	Center wheel & pinion with cannon pinion	585 009	Hammer	
		781 001	Hammer click	
225 013	Cannon pinion	888 004	Center chronograph wheel	
231 014	Third wheel & pinion	012 123	Stud screw	
251 016	Escape wheel & pinion	012 277	Lower end-piece screw for 3rd & escape wheel	
261 006	Minute wheel		Chronograph bridge screw	
271 007	Hour wheel	012 281	Coupling lever screw	
282 003	Clutch wheel	012 281	Date driving wheel screw	
285 013	Ratchet wheel	012 354	Date dial guard screw	
301 009	Jewelled pallet fork & staff	012 354	Day corrector screw	
310 020	Balance complete with stud	012 417	Pallet cock screw	
315 008	Balance staff	012 417	Operating lever spring screw	
331 005	Roller with jewel	012 423	Bridge screw	
341 007	Regulator	012 424	Center wheel bridge screw	
345 007	Stud holder	012 424	Screw for day corrector spring (B)	
354 022	Winding stem	012 427	Setting lever spring screw	
☆ 357 002		012 539	Second reduction wheel screw	
381 006	Click	012 736	Day jumper screw	
383 005	Setting lever	012 919	Ratchet wheel screw	
384 007	Yoke (Clutch lever)	011 721	Upper hole jewel for center wheel	
388 005	Setting lever spring	011 169	Lower hole jewel for center wheel	
422 001	Holder of barrel & train-wheel bridge	011 651	Lower hole jewel for 3rd wheel	
		011 611	Lower hole jewel for escape wheel	
436 001	Lower end-piece for 3rd & escape wheel	011 505	Upper hole jewel for pallet	
		011 505	Lower hole jewel for pallet	
☆ 998 002	Indicator wheel	011 162	Upper hole jewel for 1st reduction wheel	
☆ 999 002	Indicator wheel spring	011 530	Lower hole jewel for 1st reduction wheel	
014 293	Diashock upper frame	013 011	Tube for day corrector screw	
014 294	Diashock lower frame	013 019	Tube for operating lever spring screw	
014 295	Diashock hole jewel with frame	013 053	Tube for barrel & train-wheel bridge screw	
011 220	Diashock cap jewel	013 094	Tube for setting lever spring screw	
014 217	Diashock spring	013 186	Tube for pallet cock screw (long)	
015 541	Diafix upper hole jewel with frame for 3rd wheel	013 193	Tube for 2nd reduction wheel screw	
		013 198	Tube for pallet cock screw (short)	
015 551	Diafix upper hole jewel with frame for escape wheel	013 199	Tube for date driving wheel screw	
		013 975	Eccentric dial pin	
011 221	Diafix cap jewel			
014 417	Diafix spring			
509 007	Oscillating weight with ball-bearing			
511 005	First reduction wheel			
514 002	Second reduction wheel			
831 002	Pawl lever			
836 003	First reduction wheel holder			
556 004	Date finger			
719 001	Day corrector			
720 001	Day corrector spring (A)			
720 002	Day corrector spring (B)			
☆ 801 010	Date dial			
802 005	Date driving wheel			
808 006	Date dial guard			
810 002	Date jumper			
817 004	Intermediate date wheel			
868 003	Day finger			
☆ 870 016	Day star with dial disk			
873 005	Day jumper			

☆⇒ Please see remarks on the next page.

Items in light letters are not shown in photos; those parts are interchangeable with the basic calibre

(Cal. No. **7005A** 17J Catalog No. 70-05-1 Green pag

Calibre No.

7015A

Jewels

21j

Style Name

⇒ Basic Calibre 7005A 17J Catalog No. 70-05-1

Remarks :

Winding stem (☆357 002)

Indicator wheel (☆998 002)

Indicator wheel spring (☆999 002)

.....Used only for the models with rotating dial ring.

Date dial☆801 010(White figures on black background)Used when both the crown and the date frame are located at **3** o'clock position.If the date dial is required in any other type, specify ① Cal. No. ② Jewels ③ the crown position
④ the date frame position and ⑤ the dial No.**Day star with dial disk**☆870 016(English ↔ Japanese, White figures on black background)Used when both the crown and the day frame are located at **3** o'clock position.

If the day star with dial disk is required in any other type, specify the number printed on the disk.

Holding ring for dial

The holding ring for dial comes in different shapes for specific dial models. Select the suitable one by referring to the photos on the front page and the diagrams below.

If the parts number of the holding ring for dial is unknown or its shape is different from those in the diagram, specify ① Cal. No. ② Jewels ③ the dial No. and ④ the case No. when ordering.



☆884 016



☆884 028